


Deep-frying controller

Order number: 900430.072

As of: 19.04.2023 V1.14



Wiring diagram




Product description

The ST521 controller fulfils the function of a temperature controller and is designed for use with deep fryers. It has a four-digit LED display, 6 keys, 2 contact outputs and 3 switching inputs. The temperature setpoints and the time settings can be parameterised directly via the keys.

The controller is networked by means of an ST-Bus interface.

Sensor:	Thermo couple, Pt100
Range:	dependant on type of sensor
Front size:	125 mm x 60 mm
Installation size:	102.2 mm x 52.5 mm
Tightness:	Front IP65
Connectors:	Screw terminal

Displays



Function of the control buttons



Key T2: UP

Pressing this key increases the parameter or parameter value.



Key T3: DOWN

Pressing this key decreases the parameter or parameter value. In the event of an alarm, the buzzer is switched off by pressing the key.



Key T4: Temperature 1...3, SET

Display and selection of the respective setpoint.
During parameterisation, the indicated parameter can be adjusted by additionally pressing the UP or DOWN key.



Key T5: Timer

Pressing the key starts the timer. Pressing it again resets it. To set the timer, the key must be pressed for longer than 4 seconds (until the display flashes). The value is changed by pressing the UP or DOWN key alone. The new value must be accepted by pressing the timer key again. The LED lights up when the active timer is selected and when the timer is changed. The LED flashes at the end of the timer until confirmation with the timer key.



Key T6: Turbo

Switching to turbo mode

Pressing the button starts or ends Turbo mode. If Turbo mode is ended, the heating cycle or the PID is activated, depending on the temperature.



Key T7: Standby

Off: Control deactivated
On: Control activated, measured value display.

Oil shortage test


1. Temperature increase

If heat is supplied to a body, its temperature increases in proportion to the heat by the value ΔT

$$Q = M \cdot \Delta T \quad Q: \text{heat supplied.} \\ (M = m \cdot c \text{ is the thermal mass of the body).}$$

$$Q = m \cdot c \cdot \Delta T \quad m: \text{mass of the body} \\ c: \text{specific heat}$$

It therefore takes longer to heat up a large quantity of oil than a small quantity. Conversely, the rate of increase in temperature can be used to draw conclusions about the quantity of oil present.




Temperature rise depending on the amount of oil

2. Thermal contact

For temperature measurement, the sensor must be in thermal contact with the medium. In deep fryers, however, it can happen that the sensor loses the thermal contact if it no longer protrudes into the oil due to a lack of oil (see illustration).

The measured value then no longer corresponds to the oil temperature, but to the ambient temperature at the sensor.



If there is a lack of oil, the sensor may lose thermal contact.

3. Little oil

If there is little oil left in the fryer, there is a fire hazard due to overheating of the oil. Temperatures higher than 230°C are a fire hazard for most oils and fats.

3.1 Initial switching on of the heating

After switching on the controller, a test sequence starts once to check for lack of oil. The controller heats for a predefined time and monitors the temperature rise.

A very fast rise is an indication of low oil (parameters **H1** and **H2**).

The controller then switches off the heating and triggers an alarm message.

If, however, there is almost no temperature rise at all, this is again an indication that the sensor has lost thermal contact due to a lack of oil (parameters **H3** and **H4**).

The controller then also switches off the heating and triggers an alarm message.

In the special case that the temperature is already high when switching on, it can be assumed that the fryer was in operation before. There is probably enough oil and the sensor is also in contact with the oil.

To avoid pseudo errors, the test sequence is then not executed. Parameter **H5** sets a temperature threshold above which testing is not performed.

3.2 During operation

During operation of a deep fryer, it is only possible to conclude from the curve progression of the temperature that there is a lack of oil in special cases.

Setpoints

Pressing the SET key displays the setpoint S1.

Additional pressing of the UP or DOWN key changes the value. It is automatically saved after all keys are released.

Sequence timer

Pressing the timer key will show, start or stop the timer.

Control parameters

By pressing the UP and DOWN keys together for 3 seconds, the message "**PR**" appears in the display. After entering the password "**-19**" (with the SET and DOWN keys), you enter the parameter list for setting the control parameters.

The UP key scrolls up the list, the DOWN key scrolls down.

By pressing the SET key, the value of the selected parameter appears in the display; by pressing the UP or DOWN key again, the value is changed. It is automatically saved after the keys are released.

Setpoint level:

Parameter	Description of function	Setting range	Standard value	Custom value
Temperature setpoints				
S1	Temperature setpoint	P4 ... P5	170 °C	
S2	Temperature setpoint	P4 ... P5	160 °C	
S3	Temperature setpoint	P4 ... P5	100 °C	
Timer setpoints				
T1	Timer 1	00:00 ... 99:59 Min.	01:11 min.	

Control parameters:

Parameter	Description of function	Setting range	Standard value	Custom value
General control parameters				
P1	Delta W control circuit 2	-99...+99.0 K	0.0 K	
P2	Hysteresis control circuit 1	0.1...99.0 K	1.0 K	
P3	Hysteresis control circuit 2	0.1...99.0 K	1.0 K	
P4	Lower setpoint limitation	0...999 °C	0 °C	
P5	Top setpoint limitation	0...999 °C	200 °C	
P6	Correction actual value 1	-20.0...+20.0 K	0.0 K	
P7	Display actual value 1	-	-	
PID parameter				
P11	Control circuit 1: Proportional range in PID control	0.1...999 K	10.0 K	
P12	Control circuit 1: Integral time in PID control (I portion)	0...999 sec. (0 sec. = inactive)	500 sec.	
P13	Circuit 1: Derivative action time in PID control (D portion)	0...999 sec. (0 sec. = inactive)	120 sec.	
P14	Control circuit 1: Cycle time in PID control	2...100 sec.	20 sec.	
P17	Behaviour of the TURBO LED	0: on during MELT 1: on during TURBO 2: flashes at gentle heating, on during Turbo	1	
Relay delay				
P18	Switch-off delay for heating relay	0.0...99.0 sec.	0.0 sec.	
Key lock				
P19	Key lock (Setpoint adjustment disabled)	0: Not locked 1: Locked	0	
Alarm parameters				
P21	Lower alarm limit	-99...999 °C/K	-99 K	
P22	Upper alarm limit	-99...999 °C/K	200 K	
P23	Hysteresis alarm, one side	0.1...99.9 K	1.0 K	
P24	Alarm function	0: Alarm limit relative 1: Alarm limit absolute	1	
P25	Special function in case of alarm	0: Not active 1: Display flashing, buzzer active	1	
P26	Alarm suppression after Mains On	0...60 min.	0	
P27	Buzzer duration when timer elapsed	0...60 sec. (0 sec. = inactive)	5 sec.	
Display parameters				
P31	Display mode basic level	0: Integral numbers 1: Resolution 0.5 K 2: Resolution 0.1 K	0	
P32	Type of temperature display	0: Actual value display 1: Setpoint display	0	
P34	Temperature scale	0: Fahrenheit 1: Celsius	1	
P36	Display in case of standby off	0: RUS 1: OFF 2: right decimal point	1	

Parameter	Description of function	Setting range	Standard value	Custom value
P37	Display duration of timer 1/2/3 after pressing the button until it switches back to temperature display	1.0 60.0 sec.	10 sec.	
Key parameters				
P41	Standby function	0: Not active 1: Standby with button click	1	
P42	Internal buzzer mode	0 ... 15 (0 = buzzer inactive) Bit mask (add values): +1: Button click +2: Baking end +4: Error, high temperature/sensor error +8: Errors like an alarm relay	15	
P43	Delay of Start/Stop key at Standby-On	0.1 ... 5.0 sec.	1.0 sec.	
P48	Key delay for TURBO key	0.1 ... 5.0 sec.	0.5 sec.	
P49	Key delay for SET key	0.1 ... 5.0 sec.	0.5 sec.	
P50	Setpoint selection after mains on or after standby	0: as before 1: S1 2: S2 3: S3	3	
Input and output parameters				
P51	Function of external input E1 (switching sense see H51)	0: No function 1: Message overtemperature „ hot “ 2: Message burner error „ burn “ 3: Message „ OPEn “ 4: Message „ ELUP “	0	
P52	Function of external input E2 (switching sense see H52)	see P51	0	
P53	Function of external input E3 (switching sense see H53)	see P51	0	
P54	Assignment output K1	0: Not active 1: Control circuit 1 2: Control circuit 2 3: on, if controller on	1	
P55	Assignment output K2	see P54	2	
P58	Tolerance time for burner start and restart chance	1...20 sec.	10 sec.	
Fryer parameters				
P71	On time of heating clocking	1...255 sec.	50 sec.	
P72	Off time of heating clocking	1...255 sec.	30 sec.	
P73	Clock end below threshold	-99...0,0 K	-30 K	
P77	Selection of post-frying time	0: Fixed time 1...20: Elastic time	0	
P78	Activation of heating clocking	0: Not active, always turbo heating 1: Gentle heating	1	
P79	Threshold for return to heating clocking mode	0.0...99.0 °C	50.0 °C	
Operating time parameters				
P81	Temperature limit for fat operating time elapsed	0.0...999 °C	160 °C	
P82	Fat operating time until warning message	0...99 hrs. (0 hrs. = inactive)	50 hrs.	
P83	Fat operating time until controller block	0...99 hrs. (0 hrs. = inactive)	0 hrs.	
P84	Display of fat operating time	-	-	
P85	Temperature limit for reset of fat operating time (only effective if P86 =2)	-99...999 °C	100 °C	
P86	Reset option of fat operating time	0: No restrictions 1: After warning message or blocking 2: After warning message or blocking plus cool-down	2	
Sensor and hardware parameters (if changed, Mains Off required)				
P91	Selection of sensor type	0: Pt100 2-wire 1: Thermocouple type J (Fe-CuNi) 2: Thermocouple type K (NiCr-Ni)	2	

Parameter	Description of function	Setting range	Standard value	Custom value
P92	Display compensation	-	-	
P93	Software filter depth	1...64	8	
P94	Mains frequency	0: 50 Hz 1: 60 Hz	0	
LowFat and NoContact settings				
H1	Lack of oil: max. permitted temperature rise	0.1...99.0 K	1.0 K	
H2	Lack of oil: duration of the test	0...240 sec. (0 sec. = inactive)	0 sec.	
H3	Lack of oil: Max. permitted duration for the increase	0...240 sec. (0 sec. = inactive)	0 sec.	
H4	Lack of oil: Temperature increase	0.1...99.0 K	1.0 K	
H5	Max. temperature for "lack of oil" monitoring	1...990 °C	60 °C	
H51	Input E1: switching sense	0: 230V applied: OK 1: 230V applied: Error message	0	
H52	Input E2: switching sense	0: 230V applied: OK 1: 230V applied: Error message	0	
H53	Input E3: switching sense	0: Input closed: OK 1: Input closed: Error message	0	
H55	Minimum On-Time burner	0...99 sec.	0 sec.	
H56	Minimum Off-Time burner	0...99 sec.	0 sec.	
H62	Control characteristic	0: 2-point thermostat 1: PID	1	
Address + version				
L0	ST-Bus: Own address	1...255	5	
L1	ST-Bus: Address of assigned slave	-	1	
L2	ST-Bus: Master/Slave	0: slave only 1: Master operation also permitted	0	
L3	ST-Bus: Polling cycle in master mode	0 ... 99 sec.	10	
L4	ST-Bus: Polling index in master mode	0 ... 1	0	
J1	Parameter set	0 ... 1	0	
Pro	Program version	-		

All the following parameters can only be reached via the ST-Bus with a gateway!


Parameter	Description of function	Setting range	Standard value	Custom value
b1	Key for UP (PLUS)	0: no key assigned 1: key T1 2: key T2 3: Key T3 4: Key T4 5: Key T5 6: Key T6 7: Key T7	2	
b2	Key for DOWN (MINUS)	see b1	3	
b3	Key for SET	see b1	4	
b4	Key for TURBO	see b1	6	
b5	Key for STANDBY	see b1	7	
b6	Key for TIMER 1	see b1	5	
b7	Key for TIMER 2	see b1	0	

Parameter	Description of function	Setting range	Standard value	Custom value
b 8	Key sound: Bitmask when ON	0 ... 127, binary coded Bit Value Key 0 1 T1 1 2 T2 2 4 T3 3 8 T4 4 16 T5 5 32 T6 6 64 T7	126	
b 9	Key sound: Bitmask for Standby	see b8	92	
b10	Key for Timer 3	see b1	0	
b32	Mode for SET function	0: 2-button operation (SET+UP/DOWN) 1: 1-button operation (UP/DOWN only)	0	
b33	Time until SET active	Time until key lock deactivated (b32 =1)	0.0 sec.	
b34	Time until setpoint is accepted	Time until value is accepted (b32 =1)	0.5 sec.	
u11	LED 1	0: - 1: Heating 2: Cooling ON 3: Melt/Turbo 4: PID 5: Timer 1 6: Timer 2 7: Timer 3 8: Input E1 9: Input E2 10: Input E3 11: Temperature setpoint 1 12: Temperature setpoint 2 13: Temperature setpoint 3	1	
u12	LED 2	see u11	0	
u13	LED 3	see u11	0	
u14	LED 4	see u11	0	
u15	LED 5	see u11	0	
u16	LED 6	see u11	0	
u20	LED week timer	0: - 1: weekdays 2: individual after u21 ... u27	2	
u21	LED Mo	see u11	11	
u22	LED Di	see u11	12	
u23	LED Mi	see u11	13	
u24	LED Do	see u11	0	
u25	LED Fr	see u11	0	
u26	LED Sa	see u11	1	
u27	LED So	see u11	0	
u31	LED key T1	see u11	0	
u32	LED key T2	see u11	0	
u33	LED key T3	see u11	0	
u34	LED key T4	see u11	0	
u35	LED key T5	see u11	5	
u36	LED key T6	see u11	3	
P99	Password level P--	-99 .. +999	0	
H99	Password level H--	-99 .. +999	0	
b99	Password level b--	-99 .. +999	0	
L99	Password level L--	-99 .. +999	0	
PW	Password level PR	-99 .. +999	-19	

Selection parameter post-frying time

With parameter **P77**, you can define if the frying time is exactly the programmed time or if the frying time is to be extended if the fried material causes a temperature decrease.

Extension of the frying time, also referred to as elastic time or post-frying time, depends on the deviation from the setpoint. If the setpoint is exceeded, the time is reduced.



Setpoint 180 °C, selected frying time 100 s

Act. value	P77	Effective frying time
180 °C	0	100 sec.
150 °C	0	100 sec.
180 °C	1	100 sec.
150 °C	1	120 sec.
180 °C	10	100 sec.
150 °C	10	135 sec.
180 °C	20	100 sec.
150 °C	20	150 sec.
125 °C	20	210 sec.
100 °C	20	300 sec.

Heating feedback

(**P51...P53** = 2)

In the case of heating, the participation of a feedback from the burner control unit is possible, which is defined via a switching input. The feedback confirms that the burner has started properly and otherwise causes the control to be aborted. The feedback can be adjusted in the switching direction by the parameters **H51...H53**.

The control at the heating output only takes place if the feedback is present at the parameterised switching input. Without feedback, the heating relay is therefore not switched on and, conversely, also switched off again if the feedback no longer exists during heating.

Heating mode „Gas+Fan“:

Restart when the control is switched off:

The control at the heating output is first switched on when requested by the control section, then it waits for the feedback to arrive for the time specified in parameter **P58**. If the feedback is received at the parameterised switching input or if it is already present at the time of the request, control is continued. If the feedback is not received, the control is switched off. The error message „burn“ is displayed. To acknowledge and restart the control, press the „Standby“ key, i.e. switch to standby off and on again.

Burner failure with restart chance:

If the feedback fails during control, the system waits for the burner to restart and the feedback to return for the time specified in parameter **P58**. If the feedback returns, control continues normally. If the feedback does not return, the control is switched off.

To acknowledge and restart the control, press the „Standby“ key again, i.e. switch to standby off and on again.

Deactivation of the feedback:


If the respective parameter **P51...P53** is set to 0, the feedback function is deactivated.

The control function of the fryer controller is explained below and is always valid when the controller is switched on.

Control function


Heating phase without manual intervention:

Heating phase after activation:




After activation and start of the controller, a slow heating phase will always follow when the fat is cold. This phase ends at latest when the setpoint is reached. In this slow heating phase, the heating relay clocks, i.e. with the on time set in parameter **P71** being followed by the off time set in parameter **P72**. Slow heating is to ensure that congealed fat is heated up gently at the start of operation. Via parameter **P73**, you can stop the slow heating phase before the setpoint is reached. If this is not desired, set **P73**=0.0 K.

Heating phase after slight cooling:



After a minor cooling down to temperatures above 50 °C, e.g. by loading small amounts of cold fat, the normal heating function of the controller is maintained. The reheating phase is therefore not slowed down; if the thermostat function is set via the parameterisation, the heating relay does not cycle. If the PID function is preset, the heating relay only cycles within this range. The end of the cycle set with **P73** has no effect.

Heating phase after significant cooling:



After significant cooling to temperatures below 50 °C, e.g. loading of large quantities of cold fat, the slow heating function is activated again. The heating relay cycles again like in the initial heating phase, until the setpoint or the cycle end below the setpoint defined in parameter **P73** is reached again. This is to ensure gentle heating of the reloaded fat.


Control after heating

After the heating phase, the controller works with the PID function based on parameter group **P11** to **P14**.

ATTENTION: The following functionality is only available if a key is parameterised for the function "MELT/TURBO".

Heating phase with manual intervention:

Heating phase after activation.



After activation and start, the slow heating phase will start without manual intervention. By pressing the quick heating button TURBO, you can switch over to the normal heating function. Now, the fat will be heated more quickly. The heating relay will no longer cycle based on the times set in parameters **P71** and **P72** but based on the PID function set via the PID parameters. The cycle end defined via parameter **P73** does not have any influence after the manual intervention. To undo the switch-over, press the TURBO button again. Now, the heating relay will cycle like before the manual change-over again.

The manual change-over function can be used for reducing the heating phase if the fat has melted visibly and can be heated at a higher rate without any damage. Manual change-over between slow heating and turbo heating is possible only if the controller actually is in the heating phase, i.e. below the threshold set via parameter **P73**. Above this threshold, the turbo button has no function.

Heating phase after significant cooling

After significant cooling to temperatures below 50 °C, e.g. loading of large quantities of cold fat, a slow heating phase will start, although the change-over to normal heating mode is effected earlier; the heating relay clocks like in the initial heating phase. Thus, manual change-over to normal heating function is only effective for the current heating phase and will become ineffective as soon as the setpoint is reached, at the latest. After that, as well as after mains failure and restart, the controller is in normal operation mode with slow heating phase when the controller is switched on and started or restarted later or in the case of cool-down to temperatures below 50 °C. The switch-back threshold can be set via parameter **P79**.

Gentle heating with "heating cycles"

Two operating modes are possible for gentle heating with cold fat, whereby the effective control value is always specified via the ratio of the on and off times in **P71** and **P72**.

Switch-off delay for heating relay:

With parameter **P18**, you can define a switch-off delay for the heating relay which is effective in all operation modes. The parameter is provided for cases, where the ignition of the gas heating is always delayed. In the operating modes "Gas+Fan", the PWM signal for the fan is maintained for the duration of the delay until the fan run-on also takes place after the heating is switched off.

Caution: The setting **P18** must be done taking utmost care, as it is active independent of the control part. For this reason, short cycle times might result in unintended permanent heating.

LowFat- and NoContact control setting


H1 Lack of oil: max. permissible temperature rise

H2 Lack of oil: duration of the test

After switching on, the controller checks once whether there is enough oil.

To do this, it switches on the heating and monitors the temperature rise.

The less oil there is, the faster the temperature rises:



After time **H2**, the temperature should not have risen more than **H1**, otherwise the controller triggers an alarm message and blocks the heating.


H3 Lack of oil: maximum allowed duration for temperature rise

H4 Lack of oil: temperature rise

After switching on, the controller checks once whether there is enough oil.

To do this, it switches on the heating and monitors the temperature rise.

If the temperature sensor no longer has thermal contact with the oil due to a lack of oil, the sensor will only see a slight or no temperature rise despite the heating:



After the time **H3**, at least the rise **H4** should have occurred, otherwise the controller triggers an alarm message and blocks the heating.

H5 Temperature limit for checking lack of oil

If the temperature is already high when you switch on, this indicates that there is some oil present. It is likely that heating has also taken place beforehand. In any case, the sensor is also in thermal contact with the oil. Parameter **H5** defines the temperature limit above which no monitoring takes place.

P1 Delta W control circuit 2

The value in P1 is added to the current setpoint S1, S2 or S3. The secondary setpoint switches control circuit 2.

P2 Hysteresis control circuit 1

P3 Hysteresis control circuit 2

A small hysteresis allows more precise control, but also leads to more frequent switching of the relay.

P4 Lower setpoint limit

P5 Upper setpoint limit

The setpoints S1, S2 and S3 can only be adjusted within the limits set here.

P6 Calibration of sensor F1 (actual value correction)

Here you can compensate for an offset error of the sensor, e.g. due to a long sensor cable. The value is added to the measured value.

P7 Actual control value

The actual control value is determined by the measured value of sensor F1 and the correction from parameter P6.

P11 PID: Proportional range

The proportional component acts in such a way that when the actual value approaches the setpoint, the manipulated variable is reduced linearly from +/-100% to 0%.

P12 PID: Integral/Reset time

The reset time is a measure of the strength of the integral component, which in turn controls a permanent control deviation. A long reset time leads to smooth control, but a control deviation or a connected disturbance variable is only controlled for a long time. A short reset time leads to fast control, but also bears the risk of oscillation.

P13 PID: Derivative time

The derivative-action time is a measure of the strength of the differential component, which attempts to dampen temperature changes by counter-regulation. A long derivative-action time leads to strong damping of the system and thus prevents overshooting during heating processes. However, it also leads to oscillation tendency due to the strong reaction to disturbance variables. A short derivative time leads to weak damping.

P14 PID: Cycle time

The cycle time is the time in which the control output runs through a switching period, i.e. once 'Off' and once 'On'. The shorter the cycle time, the faster the control can be. However, this also results in an increased switching frequency of the output, which can lead to rapid wear of relay contacts.

P17 Behaviour of the TURBO LED

Either the melt or the turbo function is selected.

P18 Switch-off delay for control relay

The control relay must be switched on for at least the time set here before it can be switched off. Caution: This setting has a higher priority than the control loop (also PID!) and should therefore be used with care!

P19 Key lock

Setting =1 prevents adjustment of the setpoint.

P21 Lower alarm limit

P22 Upper alarm limit

The limit values for monitoring the temperature are set here. Depending on the setting in P24, the limits are relative to the setpoint or absolute.

P23 Hysteresis for alarm limits

The hysteresis is set asymmetrically, i.e. at the upper alarm value downwards and at the lower alarm point upwards.

P24 Alarm function

Here you can set whether the limits in P21 and P22 should be relative (P24=0) to the current setpoint or absolute (P24=1), i.e. independent of the setpoint.

P25 Display in case of temperature alarm

A temperature alarm can be signalled by the buzzer and flashing the display.

P26 Alarm suppression after power-on

After switching on, a temperature error is suppressed for this time so that the controller can reach its setpoint.

P27 Buzzer duration after timer expiry

If a timer has expired, the buzzer is switched on for this time.

P31 Display mode

This specifies the accuracy with which the display may operate.

P32 Type of temperature display

Should the current actual value (=0) or the active setpoint (=1) be shown in the display during operation?

P34 Temperature scale

P36 Display on standby off

P38 Display duration of the timer when key is pressed

When a timer key is pressed, the current remaining running time for the time parameterised here is shown in the display.

P41 Standby function

P42 Mask for buzzer

Setting for when the buzzer may become active. It is binary coded. For the value to be set, the desired values must be added.

P43 Delay Start/Stop key

P48 Delay Turbo key

P49 Delay SET key

How long the key should remain pressed until the function is executed.

P50 Setpoint selection after mains on or after standby

Assignment of the setpoint after switching on the controller.

P51 Function of switching input E1

P52 Function of switching input E2

P53 Function of switching input E3

This setting determines the error message to be output when the signal is active. The switching sense of the inputs is determined by the parameters H51 ... H53.

P54 Assignment of output K1

P55 Assignment of output K2

Assignment of the internal controller signals to a relay.

P58 Tolerance time for burner start and restart chance

The burner must output a signal within this time. If it does not, a new attempt is made or an error message is output.

P71 On time of heating clocking

P72 Off time of heating clocking

P73 End of cycle below setpoint

Setting for the heating cycle. During the heating cycle, the heating is switched on after P71 and switched off after P72. The heating cycle ends when the temperature exceeds P73.

P77 Selection of post-baking time

Here you can determine whether the baking time corresponds exactly to the programmed time or whether the baking time should be extended if the temperature is lowered by the baked goods.

The extension of the baking time, also called elastic baking time or post-baking time, depends on the deviation from the setpoint. See description at the beginning of the documentation under Control function.

P78 Activation of heat clocking

Can the controller use the heating cycle?

P79 Reset threshold for heat clocking

If the actual value falls below this threshold during operation, the controller switches over to heating up, provided that this is permitted in parameter P78.

PB1 Temperature limit for fat operating time expiry

PB2 Fat operating time until warning message

PB3 Fat operating time until control blocking

PB4 Display of grease operating time

PB5 Limit temp. for reset of grease operating time

These parameters control the recording or display of the fat operating time.

PB6 Reset fat operating time

Selection for clearing the fat operating time

P91 Selection of sensor type

Only thermocouples J and K and a Pt100 are supported.

P93 Filter depth software filter

An average value is determined from the measurements specified here and fed to the control. One measuring cycle takes approx. 160ms

P94 Mains frequency

Specification of the mains frequency used.

H1 Oil lack: maximal permissible temperature rise

H2 Oil lack: duration of test

After switching on, the controller checks once whether there is enough oil. To do this, it switches on the heating and monitors the temperature rise. The less oil there is, the faster the temperature rises. After the time in H2, the temperature should not rise more than the temperature set here, otherwise the controller triggers an alarm message and blocks the heating.

H3 Oil lack: Max. permitted duration for the increase

H4 Oil lack: temperature increase

After switching on, the controller checks once whether there is enough oil. To do this, it switches on the heating and monitors the temperature rise. If the temperature sensor no longer has thermal contact with the oil due to a lack of oil, the controller will only see a slight or no temperature rise despite the heating. After the time set here, there should be at least a temperature rise as set in H4, otherwise the controller triggers an alarm message and blocks the heating.

H5 Temperature limit for checking for oil lack

If the temperature is already high when switching on, this indicates that there is some oil. It is likely that heating has also taken place. In any case, the sensor is also in thermal contact with the oil. This parameter defines the temperature limit above which monitoring no longer takes place.

H51 Input E1: Switching sense

H52 Input E2: Switching sense

Determines whether the switching input at 230V corresponds to either an OK signal or an error signal.

H53 Input E3: Switching sense

Definition of whether the switching input corresponds to an OK signal or an error signal as a make contact.

H55 Minimum burner on-time

H56 Minimum burner off-time

A gas burner needs a minimum time to ignite the flame. Therefore, it does not make sense to switch it on or off for short times.

On the other hand, a PID controller can also request low outputs. The controller then rounds up or down to the minimum times.

H62 Control characteristics

A PID controller can control the temperature much more precisely, but for this it generally needs many more switching cycles than a thermostat (consider the lifetime of the relays).

L0 ST bus, own address

L1 ST bus, address of an assigned slave

L2 ST bus, mode master/slave

L3 ST bus, query cycle

L4 ST bus, query index

These parameters are reserved for a network with ST-Bus. L0 indicates the own address with which the controller is addressed via the bus. Each bus participant must have its own address. No addresses may occur more than once on an ST-Bus line. L1 to L4 refer to an operation in which the controller could query externally connected components. These parameters have no function here.

J1 parameter set

This parameter is intended for setting certain predefined data sets. The data sets are predefined by Störk-Tronic. If a new data set is imported, all previously set parameters are overwritten. They can then be freely changed.

Pro Software-Version

All the following parameters can only be reached via the ST bus with a gateway!

b1 Key for UP function

b2 Key for DOWN function

b3 Key for SET function

b4 Key for Turbo function

b5 Key for standby function

b6 Key for Timer1 function

b7 Key for Timer2 function

b10 Key for Timer3 function

A key is assigned to the internal functions. A key must be assigned to the UP, DOWN and SET functions, otherwise you lock yourself out. These parameters can only be seen and set via the ST bus.

b8 Mask for key click when ON

b9 Mask for key click for OFF (standby)

The masks are used to set whether a key click is allowed. The mask is binary coded, i.e. the desired values must be added.

u11 LED 1 Status top left

u12 LED 2 Status centre left

u13 LED 3 Status bottom left

u14 LED 4 Status top right

u15 LED 5 Status centre right

u16 LED 6 Status bottom right

These parameters are used to set the status to be displayed by the LEDs.

u20 Evaluation of weekday LEDs

This parameter is used to set how the LEDs under the display are to be operated.

u21 LED 7 (Monday)

u22 LED 8 (Tuesday)

u23 LED 9 (Wednesday)

u24 LED 10 (Thursday)

u25 LED 11 (Friday)

u26 LED 12 (Saturday)

u27 LED 13 (Sunday)

These parameters are used to set when the corresponding LEDs below the display should light up.

u31 LED 14 Top left key

u32 LED 15 Centre left key

u33 LED 16 Lower left key

u34 LED 17 Lower half-left key

u35 LED 18 Bottom centre key

u36 LED 19 Lower half-right key

These parameters are used to set when the corresponding key LED should light up.

Status messages

Indication	Cause	Note
F 1	Error sensor F1 (thermocouple)	Sensor break (in the case of thermocouples, a short circuit cannot be distinguished from a valid signal)
F2	Error sensor F2 (Sensor for terminal temperature)	Internal sensor defective
F3	Error sensor F3 (Pt100)	Check Pt100
Actual value flashing	Limit value alarm when ON	-
Hot	Overtemperature, signalled by a switching input	Allow to cool down and switch the controller off and on again with the OFF button.
burn	Burner error, signalled by a switching input	Eliminate error and switch off and on with the Standby button
FRt	Alarm of the LowFat- or NoContact control mimic	Check oil level and switch off/on with Standby button
EP	Error in parameter memory	Repair the controller
IL Control running	Warning message because the fat operating time for this has been exceeded (see P82)	Acknowledge with the DOWN key
IL Control blocked	Control blocking because the fat operating time for this has been exceeded (see P83)	Acknowledge with the MELT plus START button (note P86)
rES	The grease operating time has been reset (see P86)	—
E 1 (alternating with actual value)	Error message at input E1 (burner reports missing flame)	See parameter H50 The controller goes into standby and switches off the burner. A reset is required to switch on again.
E2 (alternating with actual value)	Alarm message at input E2 (External temperature limiter has triggered)	See parameter H51 The controller goes into standby and switches off the burner. A reset is required to switch on again (also temperature limiter).
E3 (alternating with actual value)	Alarm message at input E3	
“---” flashing	Key lock (P19 =1)	—

Analogue inputs	F1:	Temperature sensor thermocouple TC Type J or K	
	F2:	Internal sensor, temperature of terminal point, PTC with characteristic curve for KTY81-121	
	F3:	Temperature sensor Pt100 or thermocouple TC	
		Measuring range:	TC -50...+350 °C
			Pt100 -50...+350 °C
			PTC -50...+150 °C
	Measuring accuracy referred to controller at 25 °C: +/-1 K and +/-0.5 % of measuring range		
Digital inputs	E1:	Input for 230V~ voltage	Function see parameter P51/H51
	E2:	Input for 230V~ voltage	Function see parameter P52/H52
	E3:	Input for potential-free contact	Function see parameter P53/H53
Switching outputs	K1:	Relay, 12(2) A / 250 V~	Function see parameter P54
	K2:	Relay, 12(2) A / 250 V~	Function see parameter P55
		Buzzer, approx. 80dB	
Power supply	230V~ 50/60 Hz, power consumption approx. 3W		
Connectors	W1:	Screw/plug-in terminal, 6-pole, grid 5.08mm, for cables up to 2.5mm².	
	X1:	Screw/plug-in terminal, 2-pole, grid 5.08mm, for cables up to 2.5mm².	
	W2:	Screw/plug-in terminal, 3-pole, grid 3.5mm, for cables up to 1.5mm².	
	W3:	Spring clamp terminal, 2-pole, grid 5.0mm, for cables up to 2.5mm².	
	W4:	Screw/plug-in terminal, 4-pole, grid 3.5mm, for cable up to 1.5mm²	
Ambient conditions	Storage temperature	-20...+70 °C	
	Operating temperature	0...55 °C	
	Relative humidity	max. 75 % r.H., no condensation	
Enclosure type	IP65 front, IP00 rear		
Protection class	Protection class II, rated voltage 250 V~		
Interface	ST-Bus		
	57600 baud, interface driver RS485, galvanically not isolated. For STP cable (shielded 2-wire cable), maximum cable length 1000m.		
Installation data	The display unit is designed for installation in a switching panel (note dimensioned drawing).		
	Front size:	125 mm x 60 mm	
	Assembly size:	102.2 mm x 52.5 mm	

